

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3435	(@ad<"20031126" or @rlad<"20031126") and IPv6	US-PGPUB; USPAT	OR	ON	2007/06/12 14:31
S2	3584	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6))	US-PGPUB; USPAT	OR	ON	2007/06/12 14:32
S3	236	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6)) and (address with (compress\$4 or concatenat\$4))	US-PGPUB; USPAT	OR	ON	2007/06/12 14:34
S4	3	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6)) and (address with (compress\$4 or concatenat\$4)) and (zero with chain)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:35
S5	74	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6)) and (IP with address with (compress \$4 or concatenat\$4))	US-PGPUB; USPAT	OR	ON	2007/06/12 14:35
S6	38	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6)) and (IP with address with (compress \$4 or concatenat\$4)) and (zero)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:36

S7	7	(@ad<"20031126" or @rlad<"20031126") and (IPv6 or (IP adj v6) or (Internet adj protocol adj version adj "6") or (Internet adj protocol adj v6)) and (IP with address with (compress \$4 or concatenat\$4)) same (zero)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:42
S8	13	(@ad<"20031126" or @rlad<"20031126") and (IP with address with (compress \$4 or concatenat\$4)) same (zero)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:43
S9	6	(@ad<"20031126" or @rlad<"20031126") and (IP with address with (compress \$4 or concatenat\$4)) same (zero) not S7	US-PGPUB; USPAT	OR	ON	2007/06/13 08:19
S10	1	(@ad<"20031126" or @rlad<"20031126") and (IP with address with (compress \$4)) same (zero) not S7	US-PGPUB; USPAT	OR	ON	2007/06/12 14:44
S11	32904	(@ad<"20031126" or @rlad<"20031126") and (rout\$3 with table)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:44
S12	477	(@ad<"20031126" or @rlad<"20031126") and (rout\$3 with table) and (address with compress\$4)	US-PGPUB; USPAT	OR	ON	2007/06/12 14:45
S13	9	(@ad<"20031126" or @rlad<"20031126") and (rout\$3 with table) and (address with compress\$4) with zero	US-PGPUB; USPAT	OR	ON	2007/06/12 14:51
S14	2	(@ad<"20031126" or @rlad<"20031126") and (address with compress\$4) with (zero near2 (remov\$3 or delet\$3))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:14
S15	356	(@ad<"20031126" or @rlad<"20031126") and (IP with address with (compress \$4))	US-PGPUB; USPAT	OR	ON	2007/06/13 08:19
S16	0	(@ad<"20031126" or @rlad<"20031126") and (IP with address with (compress \$4)) and mask and (compare with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:19

S17	2	(@ad<"20031126" or @rld<"20031126") and (IP with address with (compress \$4)) and mask and (compar \$3 with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:20
S18	3	(@ad<"20031126" or @rld<"20031126") and (IP with address with (compress \$4)) and (apply\$3 with mask)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:21
S19	66	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) and (apply\$3 with mask)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:21
S20	1	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) same (apply\$3 with mask)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:21
S21	66	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) and (apply\$3 with mask)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:21
S22	19	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) and (apply\$3 with mask) and (compar\$3 with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:22
S23	17	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) and (apply\$3 with mask) and (compar\$3 with byte) not S18	US-PGPUB; USPAT	OR	ON	2007/06/13 08:22
S24	1	(@ad<"20031126" or @rld<"20031126") and (address with (compress \$4)) and (apply\$3 with mask with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:23
S25	219	(@ad<"20031126" or @rld<"20031126") and (apply\$3 with mask with address)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:23
S26	0	(@ad<"20031126" or @rld<"20031126") and (apply\$3 with mask with address) and ("byte by byte")	US-PGPUB; USPAT	OR	ON	2007/06/13 08:23

S27	1	(@ad<"20031126" or @rld<"20031126") and (apply\$3 with mask with address) and ("byte-by-byte")	US-PGPUB; USPAT	OR	ON	2007/06/13 08:24
S28	0	(@ad<"20031126" or @rld<"20031126") and (apply\$3 with mask with address) and ("per-byte")	US-PGPUB; USPAT	OR	ON	2007/06/13 08:24
S29	8	(@ad<"20031126" or @rld<"20031126") and (apply\$3 with mask with address with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:25
S30	793	(@ad<"20031126" or @rld<"20031126") and (mask\$3 with address with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:25
S31	38	(@ad<"20031126" or @rld<"20031126") and (mask\$3 with (IP adj address) with byte)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:26
S32	24	(@ad<"20031126" or @rld<"20031126") and (mask\$3 with (IP adj address) with byte) and ((rout\$3 or forward\$3) with table)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:33
S33	0	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA with IPv6)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:33
S34	20	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA) and IPv6	US-PGPUB; USPAT	OR	ON	2007/06/13 08:36
S35	0	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA) and IPv6 and compress\$3 with address	US-PGPUB; USPAT	OR	ON	2007/06/13 08:34
S36	0	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA) and IPv6 and (compress\$3 with address)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:34
S37	0	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA) and (compress\$3 with address)	US-PGPUB; USPAT	OR	ON	2007/06/13 08:34

S38	6	(@ad<"20031126" or @rld<"20031126") and (OSPF with LSA) and IPv6 and OSPF with routing with table	US-FGPUB; USPAT	OR	ON	2007/06/13 08:36
S39	7782	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:22
S40	57	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) with chain)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:15
S41	1	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) with chain with long\$3)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:16
S42	9	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) near2 chain)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:16
S43	212	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) near2 (chain or group))	US-FGPUB; USPAT	OR	ON	2007/11/27 13:16
S44	0	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) near2 (chain or group)) with long \$3	US-FGPUB; USPAT	OR	ON	2007/11/27 13:16
S45	9	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) near2 (chain or group)) with (remov\$3 or delet\$3)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:16
S46	9	(@ad<"20031126" or @rld<"20031126") and (address with compress\$4) and (("0" or zero) near2 (chain or group)) with (remov\$3 or delet\$3 or eras \$3)	US-FGPUB; USPAT	OR	ON	2007/11/27 13:18

S47	331	(@ad<"20031126" or @rlad<"20031126") and ("0" or zero) near2 (chain or group)) with (remov\$3 or delet\$3 or eras\$3)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:18
S48	0	(@ad<"20031126" or @rlad<"20031126") and ("0" or zero) near2 (chain or group)) with (remov\$3 or delet\$3 or eras\$3) with longest	US-PGPUB; USPAT	OR	ON	2007/11/27 13:19
S49	3	(@ad<"20031126" or @rlad<"20031126") and ("0" or zero) near2 (chain or group)) with longest	US-PGPUB; USPAT	OR	ON	2007/11/27 13:20
S50	696	(@ad<"20031126" or @rlad<"20031126") and (zero near2 chain)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:20
S51	13	(@ad<"20031126" or @rlad<"20031126") and (zero near2 chain) with compress\$4	US-PGPUB; USPAT	OR	ON	2007/11/27 13:20
S52	8796	(@ad<"20031126" or @rlad<"20031126") and (leading with zeros)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:22
S53	3673	(@ad<"20031126" or @rlad<"20031126") and (leading near2 zeros)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:22
S54	436	(@ad<"20031126" or @rlad<"20031126") and (leading near2 zeros) and (trailing near2 zeros)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:22
S55	7	(@ad<"20031126" or @rlad<"20031126") and (leading near2 zeros) and (trailing near2 zeros) with address	US-PGPUB; USPAT	OR	ON	2007/11/27 13:32
S56	1547	(@ad<"20031126" or @rlad<"20031126") and (longest with (zero or "0"))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:32
S57	9	(@ad<"20031126" or @rlad<"20031126") and (longest with (zero or "0") with remov\$3)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:33
S58	35	(@ad<"20031126" or @rlad<"20031126") and (longest with (zero or "0") with (remov\$3 or delet\$3))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:33

S59	42	(@ad<"20031126" or @rlad<"20031126") and (longest with (zero or "0") with (remov\$3 or delet\$3 or eras\$3))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:36
S60	91	(@ad<"20031126" or @rlad<"20031126") and (largest with (zero or "0") with (remov\$3 or delet\$3 or eras\$3))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:46
S61	649	(@ad<"20031126" or @rlad<"20031126") and ((larg\$3 or long\$3) with (zero or "0") near2 (cluster or chain or group\$3))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:46
S62	13	(@ad<"20031126" or @rlad<"20031126") and ((larg\$3 or long\$3) with (zero or "0") near2 (cluster or chain or group\$3)) with address	US-PGPUB; USPAT	OR	ON	2007/11/27 13:50
S63	238	(@ad<"20031126" or @rlad<"20031126") and ((remov\$3 or eras\$3 or delet\$3) with (long\$3 or larg\$3) with (zero or "0") with (bit or byte))	US-PGPUB; USPAT	OR	ON	2007/11/27 13:51
S64	9	(@ad<"20031126" or @rlad<"20031126") and ((remov\$3 or eras\$3 or delet\$3) with (long\$3 or larg\$3) with (zero or "0") with (bit or byte)) with address	US-PGPUB; USPAT	OR	ON	2007/11/27 13:54
S65	4	(@ad<"20031126" or @rlad<"20031126") and ((remov\$3 or eras\$3 or delet\$3) with (long\$3 or larg\$3) with (zero or "0") with (bit or byte)) and address with compress\$3	US-PGPUB; USPAT	OR	ON	2007/11/27 13:57
S66	0	(@ad<"20031126" or @rlad<"20031126") and ((remov\$3 or eras\$3 or delet\$3) with (long\$3 or larg\$3) with (zero or "0") with (bit or byte)) and address with IPV6	US-PGPUB; USPAT	OR	ON	2007/11/27 13:58
S67	10	(@ad<"20031126" or @rlad<"20031126") and (compress\$3 with IPV6 with address)	US-PGPUB; USPAT	OR	ON	2007/11/27 13:58

S68	10	(@ad<"20031126" or @rlad<"20031126") and (compress\$3 with IPV6 with address)	US- FGPUB; USPAT	OR	ON	2007/11/27 13:58
-----	----	--	------------------------	----	----	---------------------

5/27/08 10:21:36 AM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10723775.wsp